

AUGUST

Hit List

| NAME | COMMON NAME | WHERE |
|---------------------------|----------------------------|--|
| Boletus pinophilus | | May-Oct, Conifers, pine |
| Boletus reticulatus | Summer King Bolete | May-Sep, Beech, oak, spruce at higher elevations |
| Boletus subcaerulescens | | May-Oct, Scots pine, spruce |
| Boletus variipes | | May-Oct, Oak, beech, maple, aspen, hemlock, pine, spruce |
| Calvatia gigantea | Giant Puffball..... | Jul-Oct, Open woods, pastures, urban areas |
| Coprinus atramentarius | Alcohol Inky..... | May-Sep, Lives on buried wood, parks, along roads |
| Hygrophorus pratensis | Salmon Waxy Cap..... | May-Dec, Open places, grassy areas, in woods |
| Laetiporus sulphureus | Chicken..... | May-Nov, On trees and stumps. |
| Marasmius oreades | Fairy Ring Mushroom | May-Sep, Open grass, pine, spruce |
| Polyporus umbellatus | Umbrella Polypore | May-Oct, On buried wood, by stumps, on trees |
| Stropharia rugosoannulata | Wine-cap..... | May-Oct, Cultivated fields, bark mulch |
| Tylopilus chromapes | Chrome-footed Bolete | May-Oct, Aspen, birch |
| Agaricus arvensis | Horse Mushroom..... | Jun-Oct, meadows/fields/and grassy waste areas/spruce |
| Agaricus campestris | Meadow Mushroom | Jun-Sep, grassy areas |
| Armillariella mellea | Honey Mushroom | Jun-Nov, at base of stumps or trees |
| Boletus auripes | | Jun-Nov, oak/beach/ |
| Boletus bicolor | Two-colored Bolete | Jun-Oct, under oaks |
| Boletus edulis | King Bolete | Jun-Oct, conifers/spruce |
| Cantharellus cinnabarinus | Cinnabar-red Chanterelle | Jun-Oct, borders of grassy oak woods |
| Clavicornia pyxidata | Crown-tipped Coral | Jun-Sep, aspen/willow |
| Gomphidius subroseus | Rosy Gomphidius | Jun-Nov, fir/hemlock |
| Gyroporus castaneus | Chestnut Bolete | Jun-Oct, hardwood forests |
| Hygrophorus sordidus | | Jun-Oct, open grassy oak groves, bottom of slope |
| Laccaria laccata | Common Laccaria | Jun-Nov, everywhere |
| Lactarius volemus | Voluminous-latex Milky | Jun-Sep, grassy oak woods |
| Leccinum insigne | Aspen Scaber Stalk | Jun-Sep, under aspen |
| Lepiota Americana | Reddening Lepiota | Jun-Oct, on decayed hardwood stumps/sawdust |
| Lycoperdon pyriforme | Pear-shaped Puffball | Jun-Nov, woody debris |
| Lyophyllum decastes | Fried-chicken Mushroom | Jun-Oct, in clusters in grassy areas/waste places/roads |
| Phylloporus rhodoxanthus | Gilled Bolete | Jun-Oct, under conifers in mixed woods |
| Polyozellus multiplex | Clustered Blue Chanterelle | Jun-Oct, rare, spruce/fir |
| Russula mariae | Purple Bloom Russula | Jun-Oct, oak/grassy areas under oak |
| Suillus granulatus | Dotted-stalk Suillus | Jun-Nov. under pine/hemlock/spruce |
| Suillus pictus | Painted Suillus | Jun-Nov, eastern white pine |
| Tylopilus eximius | Lilac-brown Bolete | Jun-Oct, hemlock/spruce/balsam fir |
| Xanthoconium separans | | Jun-Oct, under oak/pine/mixed conifers |
| Agaricus abruptibulbus | Abruptly-bulbous Agaricus | Jul-Oct, in mixed woods |
| Agaricus augustus | Prince | Jul-Sep, disturbed soil/grass/path/road |

| | | |
|--|------------------------------|--|
| Amanita caesarea | American Caesar's Mushroom | Jul-Oct, dry pine and oak woods |
| Amanita calyptroderma | Coccora | Jul-Oct, fir and oak |
| Amanita fulva | Tawny Grisette | Jul-Sep, under trees |
| Armillaria caligata | Fragrant Armillaria | Jul-Oct, oak |
| Boletus pallidus | | Jul-Sep, oak |
| Calvatia cyathiformis | Purple-spored Puffball | Jul-Nov, grass/park/pastures |
| Cantharellus cibarius | Chanterelle | Jul-Aug, under trees |
| Cantharellus lateritius | Smooth Chantarelle | Jul-Sep, oaks/paths |
| Cantharellus minor | Small Chanterelle | Jul-Aug, beech-maple/moss |
| Cantharellus tubaeformis | Trumpet Chanterelle | Jul-Oct, on moss in bogs |
| Clitopilus prunulus | Sweetbread Mushroom | Jul-Sep, open woods |
| Craterellus fallax | Black Trumpet | Jul-Sep, hardwood, road, trails |
| Dentinum repandum | Sweet Tooth | Jul-Nov, conifer, hardwood forest |
| Fistulina hepatica | Beefsteak Polypore | Jul-Oct, at base of oak |
| Gyroporus cyanescens var. violaceotinctus | | Jul-Sep, under birch/mixed woods |
| Hypomyces lactifluorum | Lobster Mushroom | Jul-Oct, open/oak/aspen/beach/maple |
| Laccaria ochropurpurea | Purple-gilled Laccaria | Jul-Nov, hardwood/thin/hard-pack soil |
| Lactarius hygrophoroides | Hygrophorus Milky | Jul-Sep, deciduous woods |
| Lactarius subpurpureus | Variiegated Milky | Jul-Oct, hemlock, pine |
| Lepiota procera | Parasol | Jul-Oct, path/open woods, oak, aspen |
| Lycoperdon perlatum | Gem-studded Puffball | Jul-Oct, open woods, road, urban areas |
| Meripilus giganteus | Black-staining Polypore | Jul-Sep, stumps, living deciduous trees |
| Russula aeruginea | Tacky Green Russula | Jul-Sept, oak, aspen, coniferous woods |
| Russula crustosa | Green Quilt Russula | Jul-Sept, woods, oak |
| Russula variata | Variable Russula | Jul-Oct, oak, aspen |
| Russula xerampelina | Shellfish-scented Russula | Jul-Sept, conifers/hemlock |
| Sparassis crispa | Eastern Cauliflower Mushroom | Jul-Oct, open/oak/sandy/oak/pine |
| Suillus intermedius | | Jul-Oct, moss, pine |
| Suillus neoalbidipes | | Jul-Oct, sandy soil under pine |
| Suillus pictus | Painted Suillus | Jun-Nov, white pine |
| Suillus placidus | White Suillus | Jul-Oct, white pine |
| Tylopilus alboater | Black Velvet Bolete | Jul-Sep, oak |
| Ustilago maydis | Corn Smut | Jul-Sep, on corn ears |
| Volvariella bombycina | Tree Volvaria | Jul-Oct, wounded deciduous trees |
| Armillaria ponderosa | White Matsutake | Aug-Nov, coastal areas, sandy/conifers |
| Boletus mirabilis | Admirable Bolete | Aug-Nov, by rotting logs of fir/hemlock |
| Calvatia craniformis | Skull-shaped Puffball | Aug-Oct, open woods by oak |
| Cantharellula umbonata | Grayling | Aug-Nov, in haircap moss |
| Cantharellus clavatus | Pig's Ears | Aug-Dec, conifer forests |
| Catathelasma ventricosa | Swollen-stalked Cat | Aug-Oct, conifer forests, spruce, fir |
| Clavariadelphus truncatus | Flat-topped Coral | Aug-Oct, cedar and hemlock stands |
| Clitocybe nuda | Blewit | Aug-Dec, hardwood/conifer/grass/ woody debris |
| Clitocybula familia | Family Collybia | Aug-Sep, on decaying conifer logs |
| Entoloma abortivum | Aborted Entoloma | Aug-Dec, low hardwood/decaying logs |
| Gomphus clavatus | Pig's Ear Gomphus | Aug-Oct, conifers, spruce fir |
| Hericium coralloides | Bear's Head Tooth | Aug-Nov, logs/stumps, wounded tree, maple/beech |
| Hericium erinaceus | Bearded Tooth | Aug-Nov, living trees/oak/maple beech |
| Hericium ramosum | Comb Tooth | Aug-Oct, decaying maple/beech/birch |
| Lactarius deliciosus | Orange-latex Milky | Aug-Oct, under pine/conifers |

| | | |
|------------------------|--------------------------|------------------------------------|
| Leccinum aurantiacum | Red-capped Scaber Stalk | Aug-Sep, under trees |
| Naematoloma capnoides | Smoky-gilled Naematoloma | Aug-Nov, clustered on conifer wood |
| Ramaria botrytis | Clustered Coral | Aug-Oct, under conifers/spruce/fir |
| Suillus salmonicolor | | Aug-Sep, under pine |
| Suillus subluteus | Slippery Jill | Aug-Dec, under 2 or 3 needle pine |
| Tricholoma flavovirens | Canary Trich | Aug-Nov, pine in sandy areas |